

Package: protein8k (via r-universe)

September 2, 2024

Type Package

Title Perform Analysis and Create Visualizations of Proteins

Version 0.0.1

Author Simon Liles

Maintainer Simon Liles <simon@quantknot.com>

Description Read Protein Data Bank (PDB) files, performs its analysis, and presents the result using different visualization types including 3D. The package also has additional capability for handling Virus Report data from the National Center for Biotechnology Information (NCBI) database.

References Nature Structural Biology 10, 980 (2003)
<doi:10.1038/nsb1203-980> US National Library of Medicine
(2021)
<web:https://www.ncbi.nlm.nih.gov/datasets/docs/reference-docs/data-reports/virus/>

Depends R (>= 3.1.2)

Imports pryr, lattice, methods, magick, dplyr, grid, gridExtra,
ggplot2, rjson, rlang, shiny

License CC0

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

Suggests knitr, rmarkdown

VignetteBuilder knitr

Repository https://simonliles.r-universe.dev

RemoteUrl https://github.com/simonliles/protein8k

RemoteRef HEAD

RemoteSha 4e97277448c8ab2c89ef1c490ab8892f0341123c

Contents

fromJSONL	2
getAtomicRecord	3
getTitleSection	4
p53_tetramerization	4
plot3D	5
plotModels	6
Protein-class	7
Protein3D	8
read.pdb	8
report_as_dataframe	9
summary	10
summary.Protein	11
write_viz	11
Index	13

fromJSONL

fromJSONL

Description

Decode a JSON List into an R List Object.

Usage

```
fromJSONL(filepath, maxLines = -1)
```

Arguments

filepath	A character string indicating the filepath from the working directory to the desired file.
maxLines	An integer representing the max number of lines to read. Negative values indicate that one should read up to the end of input on the connection.

Value

a large list, each element containing the contents of a JSON file after being converted.

getAtomicRecord	<i>getAtomicRecord</i>
-----------------	------------------------

Description

Retrieve the Atomic Record from a Protein Object

Usage

```
getAtomicRecord(protein)
```

Arguments

protein input for a a protein object

Format

Dataframe with 16 columns:

1. record_type: Type of record in this section. Generally ATOM or HETATM
2. serial_num: The serial number for the position of the atom in the sequence
3. atom_name: A name to identify the atom in a structure
4. alt_location_id:
5. residue_name: 3 character identifier for a residue
6. chain_id:
7. residue_seq_num: Number representing where in the sequence a residue is.
8. insert_residue_code:
9. x_ortho_coord: X coordinate in Ångstroms on an orthogonal plane
10. y_ortho_coord: Y coordinate in Ångstroms on an orthogonal plane
11. z_ortho_coord: Z coordinate in Ångstroms on an orthogonal plane
12. occupancy:
13. temp_factor: The amount of overall error in the measurement of an atom.
14. segment_id:
15. element_symbol: Periodic symbol representing an atom.
16. charge: Charge of the given atom. Can be +, -, or none at all

Details

This is an accessor function for retrieving the Atomic Record from a Protein object.

Value

Returns a dataframe containing the atomic record. There are 16 variables in this data frame.

getTitleSection	<i>getTitleSection</i>
-----------------	------------------------

Description

Retrieve the title section from a Protein Object

Usage

```
getTitleSection(protein)
```

Arguments

protein input for a protein object

Details

This is an accessor function for retrieving the title section from a Protein object.

Value

Returns a list containing elements from the title section.

p53_tetramerization	<i>P53 Tetramerization Domain Crystal Structure</i>
---------------------	---

Description

Formal class protein representing data from a PDB, code 1AIE, p53 tetramerization Domain Crystal Structure. This is a small and simple R object of example data for users to play with and is used in example vignettes.

Usage

```
p53_tetramerization
```

Format

A Protein S4 object. List comprised of several sublists and dataframes

- header: List of 2, Header Line and Title
 - header_line: List of 3, Classification, depDate, and idCode
 - * classification: Classification of the Protein in the PDB
 - * depDat: Date the PDB was deposited or created
 - * idCode: 4 digit identifier for the PDB. Always unique.

- title: The title of the PDB.
- structure: Dataframe of 16 variables
 1. record_type: Type of record in this section. Generally ATOM or HETATM
 2. serial_num: The serial number for the position of the atom in the sequence
 3. atom_name: A name to identify the atom in a structure
 4. alt_location_id:
 5. residue_name: 3 character identifier for a residue
 6. chain_id:
 7. residue_seq_num: Number representing where in the sequence a residue is.
 8. insert_residue_code:
 9. x_ortho_coord: X coordinate in Ångstroms on an orthogonal plane
 10. y_ortho_coord: Y coordinate in Ångstroms on an orthogonal plane
 11. z_ortho_coord: Z coordinate in Ångstroms on an orthogonal plane
 12. occupancy:
 13. temp_factor: The amount of overall error in the measurement of an atom.
 14. segment_id:
 15. element_symbol: Periodic symbol representing an atom.
 16. charge: Charge of the given atom. Can be +, -, or none at all

 plot3D

plot3D

Description

plot the protein structure in 3D

Usage

```
plot3D(
  protein,
  animated = FALSE,
  type = "p",
  groups = NULL,
  screen = list(x = -60, z = 0, y = 0),
  image_width = 480,
  image_height = 480
)
```

Arguments

protein	Protein object to be plotted. Can be either of S3 or S4 Protein object type.
animated	logical indicating whether the object is to be animated in the viewer. Will spin the plot on the Z axis.

type	character vector indicating the type of cloud plot. Can include one or more of "p", "l", "h", or "b". "p" and "l" mean points and lines respectively, and "b" means both. "h" stands for histogram and draws lines from each point to the XY plane, either lower or upper bounding box face, whichever is closer.
groups	the name of a column from the Atomic Record of the protein. Causes the points to be colored by the different values in that group.
screen	A list determining the sequence of rotations to be applied to the data before plotting. Each component of the list should be one of "x", "y" or "z", repetitions are allowed with values indicating amount of rotation in degrees.
image_width	width of the resulting image in pixels. Currently only applies when 'animated = TRUE'. Defaults to 480 pixels.
image_height	height of the resulting image in pixels. Currently only applies when 'animated = TRUE'. Defaults to 480 pixels.

Details

This function uses lattice and magick to create the 3D plot and animate it.

Currently this function is incomplete and will change dramatically as new features and documentation are added.

Value

An object to be plotted. If not assigned to a variable, it will plot directly in the viewer.

plotModels

plotModels

Description

plot models of the protein structure using ggplot.

Usage

```
plotModels(protein, separate = FALSE)
```

Arguments

protein	Protein object to be plotted
separate	indicate whether to plot each plane separately or as one visual.

Details

Create a plot of each plane and model the shape of the protein.

This function uses ggplot and grid to create 3 plots, one for each plane, of the protein model, and then create a smoothing model.

Currently this function is incomplete and will change dramatically as new features and documentation are added.

Value

An object to be plotted. If not assigned to a variable, it will plot directly in the viewer.

Protein-class

Protein Class Definitions

Description

Protein Class used to Define Protein Objects of S3 and S4 Types. Currently still in development, Integrity checks still need to be added.

Format

Breakdown of a Protein Object's structure:

- header: List of 2, Header Line and Title
 - header_line: List of 3, Classification, depDate, and idCode
 - * classification: Classification of the Protein in the PDB
 - * depDat: Date the PDB was deposited or created
 - * idCode: 4 digit identifier for the PDB. Always unique.
 - title: The title of the PDB.
- structure: Dataframe of 16 variables
 1. record_type: Type of record in this section. Generally ATOM or HETATM
 2. serial_num: The serial number for the position of the atom in the sequence
 3. atom_name: A name to identify the atom in a structure
 4. alt_location_id:
 5. residue_name: 3 character identifier for a residue
 6. chain_id:
 7. residue_seq_num: Number representing where in the sequence a residue is.
 8. insert_residue_code:
 9. x_ortho_coord: X coordinate in Ångstroms on an orthogonal plane
 10. y_ortho_coord: Y coordinate in Ångstroms on an orthogonal plane
 11. z_ortho_coord: Z coordinate in Ångstroms on an orthogonal plane
 12. occupancy:
 13. temp_factor: The amount of overall error in the measurement of an atom.
 14. segment_id:
 15. element_symbol: Periodic symbol representing an atom.
 16. charge: Charge of the given atom. Can be +, -, or none at all

 Protein3D

plot3DInteractive

Description

Opens a viewer for exploratory and interactive analysis of a protein structure.

Usage

Protein3D(protein)

Arguments

protein Protein object to use in plotting

Value

Does not return a value.

read.pdb

read.pdb

Description

Read in a Protein Data Bank file

Usage

read.pdb(fileName, createAsS4 = TRUE)

Arguments

fileName character string for location and name of file to be read.
 createAsS4 Logical indicating whether to create the new protein object as S4 or not. Defaults to TRUE if not specified. This argument is optional.

Format

A Protein object. List comprised of several sublists and dataframes

- header: List of 2, Header Line and Title
 - header_line: List of 3, Classification, depDate, and idCode
 - * classification: Classification of the Protein in the PDB
 - * depDat: Date the PDB was deposited or created
 - * idCode: 4 digit identifier for the PDB. Always unique.

- title: The title of the PDB.
- structure: Dataframe of 16 variables
 1. record_type: Type of record in this section. Generally ATOM or HETATM
 2. serial_num: The serial number for the position of the atom in the sequence
 3. atom_name: A name to identify the atom in a structure
 4. alt_location_id:
 5. residue_name: 3 character identifier for a residue
 6. chain_id:
 7. residue_seq_num: Number representing where in the sequence a residue is.
 8. insert_residue_code:
 9. x_ortho_coord: X coordinate in Ångstroms on an orthogonal plane
 10. y_ortho_coord: Y coordinate in Ångstroms on an orthogonal plane
 11. z_ortho_coord: Z coordinate in Ångstroms on an orthogonal plane
 12. occupancy:
 13. temp_factor: The amount of overall error in the measurement of an atom.
 14. segment_id:
 15. element_symbol: Periodic symbol representing an atom.
 16. charge: Charge of the given atom. Can be +, -, or none at all

Details

Reads a Protein Data Bank file (PDB) from the given location. The function then parses the file and creates a new object of the Protein class. This object can be either defined as an S3 or S4 object if different capabilities are required.

Value

A new protein object as either an S3 or S4 object.

In general terms, the new object will be a list of two, a data frame containing the atomic record, and a list of header elements.

report_as_dataframe *report_as_dataframe*

Description

Function to transform a list of NCBI Virus Report metadata into a table.

Usage

```
report_as_dataframe(report, records = c(1:length(report)))
```

Arguments

report a list derived a vaccine report from NCBI Datasets.
 records a vector of indices to pull from the report.

Value

A large dataframe with 23 variables containig metadata from NCBI Virus report.

summary	<i>summary.Protein</i>
---------	------------------------

Description

summary.Protein

Usage

```
## S4 method for signature 'Protein'
summary(object)

## S4 method for signature 'Protein,ANY'
summary(object,...)
```

Arguments

object A Protein object of either S3 or S4 type.
 ... other objects passed to 'summary()'. Currently not supported.

Details

Prints a description of the protein object to the console. The lines of out put are as follows.

1. Prints if it is S3 or S4 object type.
2. ID Code of the PDB and the Data it was deposited in the Data Bank.
3. The Classification of the protein.
4. The title of the PDB.
5. The number of rows in the Atomic Record.

Value

Does not return a value.

summary.Protein	<i>summary.Protein</i>
-----------------	------------------------

Description

summary.Protein

Usage

```
## S3 method for class 'Protein'  
summary(object, ...)
```

Arguments

object	A Protein object of either S3 or S4 type.
...	other objects passed to 'summary()'. Currently not supported.

Details

Prints a description of the protein object to the console. The lines of out put are as follows.

1. Prints if it is S3 or S4 object type.
2. ID Code of the PDB and the Data it was deposited in the Data Bank.
3. The Classification of the protein.
4. The title of the PDB.
5. The number of rows in the Atomic Record.

Value

Does not return a value.

write_viz	<i>write_viz</i>
-----------	------------------

Description

Wrapper function for writing images to the disk. This function comes from the magick package under the same name.

Usage

```
write_viz(image, path = "my_image", format = "png")
```

Arguments

image	magick image object or trellis object.
path	a file path starting from the working directory
format	file type to save the image as. Can be "png", "jpeg", "gif", "rgb", or "rgba".

Value

Does not return a value.

Index

* datasets

- [p53_tetramerization](#), 4
- [fromJSONL](#), 2
- [getAtomicRecord](#), 3
- [getTitleSection](#), 4
- [p53_tetramerization](#), 4
- [plot3D](#), 5
- [plotModels](#), 6
- [Protein-class](#), 7
- [Protein3D](#), 8
- [read.pdb](#), 8
- [report_as_dataframe](#), 9
- [summary](#), 10
- [summary,Protein,ANY-method \(summary\)](#), 10
- [summary,Protein-method \(summary\)](#), 10
- [summary.Protein](#), 11
- [write_viz](#), 11